









Date of Deposit: December 06, 2011

Amendments to the Specification





Please replace paragraph [0016] of the specification with the following amended paragraph [0016]. The text to be changed is found at the end of this paragraph (beginning on Page 13, line 10, of the specification as filed).

Marked-up Paragraph [0016]:


[0016] Parents of the formulae R^4COOH and R^6NH_2 include:




Date of Deposit: December 06, 2011




and

Additional parents R⁶NH₂ may be chosen from compounds of structure:


Date of Deposit: December 06, 2011




B18




B19




B20



B21




B23



B22


One parent of the formula R^7OH is the iNOS-inhibitory alcohol B24 described in WO 98/37079 as example 53:




B24

Additionally, parents of the formulae R^4COOH and R^6NH_2 are chosen from the iNOS inhibitors described in US pat 6,355,689:

Date of Deposit: December 06, 2011













wherein R^{50} is chosen from C_1 to C_4 alkyl, C_3 to C_4 cycloalkyl, C_1 to C_4 hydroxyalkyl and C_1 to C_4 haloalkyl or US patent 5,863,931:




wherein Q is chosen from $-\text{CH}_2\text{CH}=\text{CHCH}_2-$, $-(\text{CH}_2)_p\text{V}(\text{CH}_2)_q-$, $-\text{O}-$, $-\text{NR}^{51}-$ and $-(\text{CH}_2)_r\text{T}(\text{CH}_2)_s-$; p is 2 or 3; q is 1 or 2; V is $\text{S}(\text{O})_x$; x is 0, 1 or 2; R^{51} is H or C_{1-6} alkyl; r is 1 or 2; s is 1 or 2; and T is cyclobutyl, phenyl or pyridyl. Other iNOS inhibitors useful as parent structures in the instant invention may be found in US patents 6,451,821; 5,132,453; 5,830,917; 5,684,008; 6,207,708; 6,344,473; 6,143,790; 5,866,612; 6,369,272; 6,552,052; 6,495,544; 6,403,830; 5,629,322; 6,110,930; 6,228,866; 6,274,557; 6,432,947; 6,451,821; 5,449,688; 5,723,451; 5,854,251; 5,863,931; 5,889,056; 5,919,787; 5,945,408; 5,972,940; 5,981,511; 6,355,689; 6,423,705; 6,586,474 and 6,465,686; in US published applications 20030013702; 20020037927; 20020049202; 20030119826; 20020022631; 20020198243; 20030064978; 20030195256; 20030207896; 20030109522; 20040087653; in PCT applications WO99/62875; WO99/628785; WO01/78719; WO01/05748; WO01/14371; WO96/35677; WO96/33175; WO96/15120; WO95/11014; WO95/11231; WO95/25717; WO95/24382; WO94/12165; WO94/14780; WO93/13055; WO02/076395; WO03/097163; WO03/097050; WO03/026638; WO00/13709; WO00/26195; WO00/61126; WO01/00195; WO01/58867; WO01/74351; WO01/94325; WO02/00648; WO02/50021; WO93/05775; WO95/13805; WO95/34534; WO96/15120; WO96/27593; WO98/02555; WO98/37079; WO99/26657; WO99/46240; WO04/012726; WO01/72703; WO95/24832; WO94/12165; WO94/14780; WO04/106312 and WO03/026668 and in European published applications EP0446699; EP1299365; EP765308; EP957087 and EP1282413. ~~As indicated in paragraph [0041] below, the~~ The relevant disclosures of all are incorporated herein by reference.

Date of Deposit: December 06, 2011


Clean Paragraph [0016]:

[0016] Parents of the formulae $R^4\text{COOH}$ and $R^6\text{NH}_2$ include:


Date of Deposit: December 06, 2011



B11




B12




B13


and

Additional parents R⁶NH₂ may be chosen from compounds of structure:


B14




B15




B16




B17



B18





B19




B20


Date of Deposit: December 06, 2011



One parent of the formula R^7OH is the iNOS-inhibitory alcohol B24 described in WO 98/37079 as example 53:




Additionally, parents of the formulae R^4COOH and R^6NH_2 are chosen from the iNOS inhibitors described in US pat 6,355,689:



wherein R^{50} is chosen from C_1 to C_4 alkyl, C_3 to C_4 cycloalkyl, C_1 to C_4 hydroxyalkyl and C_1 to C_4 haloalkyl or US patent 5,863,931:

Date of Deposit: December 06, 2011



wherein Q is chosen from $-\text{CH}_2\text{CH}=\text{CHCH}_2-$, $-(\text{CH}_2)_p\text{V}(\text{CH}_2)_q-$, $-\text{O}-$, $-\text{NR}^{51}-$ and $-(\text{CH}_2)_r\text{T}(\text{CH}_2)_s-$; p is 2 or 3; q is 1 or 2; V is $\text{S}(\text{O})_x$; x is 0, 1 or 2; R^{51} is H or C_{1-6} alkyl; r is 1 or 2; s is 1 or 2; and T is cyclobutyl, phenyl or pyridyl. Other iNOS inhibitors useful as parent structures in the instant invention may be found in US patents 6,451,821; 5,132,453; 5,830,917; 5,684,008; 6,207,708; 6,344,473; 6,143,790; 5,866,612; 6,369,272; 6,552,052; 6,495,544; 6,403,830; 5,629,322; 6,110,930; 6,228,866; 6,274,557; 6,432,947; 6,451,821; 5,449,688; 5,723,451; 5,854,251; 5,863,931; 5,889,056; 5,919,787; 5,945,408; 5,972,940; 5,981,511; 6,355,689; 6,423,705; 6,586,474 and 6,465,686; in US published applications 20030013702; 20020037927; 20020049202; 20030119826; 20020022631; 20020198243; 20030064978; 20030195256; 20030207896; 20030109522; 20040087653; in PCT applications WO99/62875; WO99/628785; WO01/78719; WO01/05748; WO01/14371; WO96/35677; WO96/33175; WO96/15120; WO95/11014; WO95/11231; WO95/25717; WO95/24382; WO94/12165; WO94/14780; WO93/13055; WO02/076395; WO03/097163; WO03/097050; WO03/026638; WO00/13709; WO00/26195; WO00/61126; WO01/00195; WO01/58867; WO01/74351; WO01/94325; WO02/00648; WO02/50021; WO93/05775; WO95/13805; WO95/34534; WO96/15120; WO96/27593; WO98/02555; WO98/37079; WO99/26657; WO99/46240; WO04/012726; WO01/72703; WO95/24832; WO94/12165; WO94/14780; WO04/106312 and WO03/026668 and in European published applications EP0446699; EP1299365; EP765308; EP957087 and EP1282413. The relevant disclosures of all are incorporated herein by reference.